



SUP
PORT
BOR
DER



BSR_Profilo terminale per pavimenti sopraelevati BSR_Terminal profile for elevated floors





H=mm	Hi=mm	BSR	Art.	A22/A50
20	35	BSR	20/25	A22/A50
20	40	BSR	20/40	A22/A50
20	60	BSR	20/60	A22/A50
20	80	BSR	20/80	A22/A50
20	100	BSR	20/100	A22/A50



Disponibili giunzioni (BSRG) e raccordi (BSRE) / Available also junctions (BSRG) and joints (BSRE)

BIM_Battiscopa copriguaine per esterno BIM_Waterproofing skirting for outside installation



H=mm	Art.
BASE 50	BIM 800 ASN
TOP 30	BI 800 ASN/A50



Disponibili giunzioni in plastica (interne BII800PS esterne BIE800PS e raccordi terminali BIT800PS)
Plastic junctions Available also plastic junctions (internal BII800PS external BIE800PS and end cap BIT800PS)

Supporto regolabile a testa fissa / Adjustable support with fix head



SUPF25/40
25 - 40 mm



SUPF40/70
40 - 70 mm



SUPF60/100
60 - 100 mm



SUPF90/160
90 - 160 mm



SUPF150/270
150 - 270 mm

Codice/Code	Descrizione/Description	H	*pcs	pcs
SUPF25/40	Supporto regolabile a testa fissa Adjustable support with fix head	25-40 mm	30	720
SUPF40/70	Supporto regolabile a testa fissa Adjustable support with fix head	40-70 mm	35	630
SUPF60/100	Supporto regolabile a testa fissa Adjustable support with fix head	60-100 mm	25	450
SUPF90/160	Supporto regolabile a testa fissa Adjustable support with fix head	90-160 mm	20	360
SUPF150/270	Supporto regolabile a testa fissa Adjustable support with fix head	150-270 mm	30	180
SUPL2	Disco livellante/ Levelling disc	2 mm	600**	42000
SUPL3	Disco livellante/ Levelling disc	3 mm	500**	35000
SUPK	Chiave di regolazione/ Adjustment key		1	

*Confezione minima non divisibile **Quantità sconfezionabile in minimo 100 pz
*Indivisible packaging / **Unpackaged 100 pcs as minimum quantity

Supporto regolabile a testa auto-livellante / Adjustable support with self-leveling head



SUPA28/38
28 - 38 mm



SUPA37/50
37,5 - 50 mm



SUPA50/75
50 - 75 mm



SUPA75/120
75 - 120 mm

Codice/Code	Descrizione/Description	H	*pcs	pcs
SUPA28/38	Supporto regolabile a testa autolivellante Adjustable support with selfleveling head	28-38 mm	50	900
SUPA37/50	Supporto regolabile a testa autolivellante Adjustable support with selfleveling head	37,5-50 mm	40	720
SUPA50/75	Supporto regolabile a testa autolivellante Adjustable support with selfleveling head	50-75 mm	30	540
SUPA75/120	Supporto regolabile a testa autolivellante Adjustable support with selfleveling head	75-120 mm	25	400
SUPK	Chiave di regolazione Adjustment key		1	

*Confezione minima non divisibile/ Indivisible packaging



positive profile

Profilitec S.p.A.
Via Brescia, 43
36040 Torri di Quartesolo
(Vicenza) ITALY
tel. +39 0444 268311
fax. +39 0444 268310
e-mail profilitec@profilitec.com

english service
+39 0444 268331
service français
+39 0444 268333
servicio español
+39 0444 268332
Kundendienst
+39 0444 268332
e-mail
profilitecexport@profilitec.com

www.profilitec.com